



SAFETY DATA SHEET

1. Identification

Product Identifier **Attack AR**
Other means of identification
Product code CU-1295
Recommended use Restroom cleaner.
Recommended restrictions None.
Manufacturer/supplier/distributor/importer information
Company name **Chemical Universe, Inc.**
Address 1133 Saline Street
 North Kansas City, MO 64116
Telephone (816) 471-3602
Fax (816) 471-3302
Emergency phone number PERS 24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.
Health hazards Skin irritant Category 2
 Serious eye irritation Category 2A
Environmental hazards Not classified.
OSHA defined hazards None.
Label elements



Signal word **WARNING**
Hazard statement Causes mild skin irritation.
 Causes serious eye irritation.
Precautionary statement
Prevention Wear eye protection/face protection.
Response If skin irritation occurs: Get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue Rinsing. Immediately call a POISON CENTER/doctor/medical professional.
Storage No prescriptive instruction.
Disposal No prescriptive instruction.
Hazard(s) not otherwise classified (HNOC) None.
Supplemental information None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Urea monohydrochloride	506-89-8	10-15
Alcohol C8-12, ethoxylated	68603-25-8	2-5
Other components below reportable levels		80-89



SAFETY DATA SHEET

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and redness of the eye
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂)
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed (hydrogen chloride gas). The product is highly acidic and incompatible with caustic cleaners and bleach compounds.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>This product is fully miscible in water.</p> <p>Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.</p> <p>Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.</p> <p>Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid discharge into surface drainage paths and other areas not consistent with package labeling.



SAFETY DATA SHEET

7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid using with chlorine bleach products. Reaction can produce chlorine gas
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the Safety Data Sheet).

8. Exposure controls/personal protection

Occupational exposure limits	Not classified.
Biological limit values	Not classified.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid.
Color	Dark blue
Odor	Pleasant herbal
Odor threshold	Not available.
pH	1-2
Melting/freezing point	28.8°F (-1.8°C) (Estimated)
Initial boiling point and boiling range	>212°F (>100°C) (Estimated)
Flash point	Not applicable.
Evaporation rate	Not available.



SAFETY DATA SHEET

Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.04
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur
Conditions to avoid	Avoid storage in elevated temperatures.
Incompatible materials	Bases, amines, alkaline metals. AVOID USING WITH CHLORINE BLEACH PRODUCTS. REACTION MAY PRODUCE CHLORINE GAS.
Hazardous decomposition products	No hazardous decomposition products occur. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May cause irritation to the upper respiratory tract.
Skin contact	Can cause skin irritation with persistent contact.
Eye contact	Can cause serious eye irritation. Wear appropriate protective clothing (see section 8).
Symptoms related to the physical, chemical, and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction. Pain, swelling excessive tearing and redness of the eye
Acute toxicity	Not classified.

Product Attack AR (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	> 4,700 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Causes mild skin irritation.
Serious eye damage/ irritation	Causes serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.



SAFETY DATA SHEET

Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May cause damage to the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

12. Ecological information

Ecotoxicity		
Product	Attack AR (CAS mixture)	
Aquatic Receptor	Species	LC₅₀
Crustacean	Rerio daphnia	> 46.0 mg/l (estimated)
Fish	Fathead Minnow (<i>Pimephales promelas</i>)	66.3 mg/L estimated
*Estimates for product may be based on additional component data not shown		

Persistence and degradability	No data available. Chemicals of this class are not expected to be persistent in an open, aerobic environment
Bio-accumulative potential	Not data available
Partition coefficient n-octanol/water (log K_{ow})	Not available.
Mobility in soil	No data available. Chemicals of these classes are highly water soluble and will partition readily to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects	May be harmful to plants or wildlife in high concentrations. No other adverse environmental effects known (<i>i.e.</i> , ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor, or other deleterious environmental effect)

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations. As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been accurately assessed and, as necessary, tested to confirm regulatory status.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	Not classified as dangerous goods.
------------	------------------------------------



SAFETY DATA SHEET

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (3/2020).

16. Other information, including date of preparation or last revision

Issue date 3/30/2015
Revision date 3/30/2015, 1/17/2020, 4/16/2020
Version # 2
HMIS® ratings Health: 1
Flammability: 0
Physical hazard: 0

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings Health: 1
Flammability: 0
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such



SAFETY DATA SHEET

material used in combination with any other materials or in any process, unless specified by the text.

Revision information

1/17/2020

General format update: Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added.

4/16/2020 - Change eye corrosion category from 1 to 2A (literature). Upgrade personal protection and environment fate information. Logo update