



SAFETY DATA SHEET

1. Identification

Product Identifier	Low Temp Sanitizer 5.25%	
Other means of identification	CU-5435	
Product code		
Recommended use	Bleach sanitizer.	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	Chemical Universe, Inc.	
Address	1133 Saline St. North Kansas City, MO 64116	
Telephone	(816) 471-3602	
Fax	(816) 474-3302	
Emergency phone number	PERS	(800) 633-8253
	24- hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage	Category 1
	Skin corrosion	Category 2
Environmental hazards	Acute Aquatic Toxicity	Category 1
	Acute Chronic Toxicity	Category 1
OSHA defined hazards	None	

Label elements



Signal word	DANGER
Hazard statement	Causes severe skin burns and eye damage. Very toxic to aquatic life with long lasting effect
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Do not breathe dust, gas or mists. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on the Safety Data Sheet). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up.
Disposal	Avoid release to the environment. Dispose of contents/containers in accordance with local/regional/national/international regulations.



SAFETY DATA SHEET

Hazard(s) not otherwise classified (HNOC) None.
Supplemental information None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Sodium hypochlorite	7681-52-9	5.25
Other components below reportable levels		94.75

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Ingestion Rinse mouth. Get medical attention immediately. Do not induce vomiting.

Most important symptoms/effects, acute and delayed Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage.

Indication of immediate medical attention and special treatment needed Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread liquid sourced fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted. This product contains a dilute oxidizing chemical that could increase oxygen to a fire as it degrades at high temperature

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.



SAFETY DATA SHEET

Methods and materials for containment and cleaning up

This product is fully miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Keep liquid clear of organic substrates that can easily burn

Small spills: Wipe up with absorbent material (e.g. cloth, sorbent wipes. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into surface drainage paths, confined vessels and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Sodium Hydroxide:
ACGIH TLV 2mg/m³ ACGIH STEL not listed
OSHA PEL 2mg/m³ OSHA STEL not listed

Biological limit values

No information.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.

Other

Depending on exposure and use conditions, additional protection may be necessary to prevent skin contact including use of items such as chemical-resistant boots, aprons, arm covers, hoods and/or coveralls

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.



SAFETY DATA SHEET

9. Physical and chemical properties

Appearance

Physical State	Liquid.
Color	Light amber.
Odor	Chlorine.
Odor threshold	Not available.
pH	12-13
Melting/freezing point	3°F(-16.11°C)
Initial boiling point and boiling range	<230°F(<110°C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available
Vapor density	Not available.
Specific gravity (water=1)	1.13
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not applicable
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	Reacts vigorously with strong acids. This product may react with other strong oxidizing agents.
Chemical stability	Material is stable under normal conditions. Stability decreases with increased concentration, heat, light exposure, decrease in pH and contamination with heavy metals such as nickel, cobalt, copper and iron.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Exposure to air or moisture over prolonged periods; Excessive heat, exposure to light, reduced alkalinity, and contamination of any kind. Reduced alkalinity or contamination can result in evolution of chlorine (toxic) gas. Decrease in pH such as by mixing with other than water, and contamination with items mentioned below as incompatible can result in evolution of chlorine (toxic) gas. .
Incompatible materials	Strong acids and bases; Oxidizing agents; Ether, ammonia compounds, hydrogen peroxide, all acids, alum, reducing agents, human or animal waste, oxidizable or combustible materials such as wood, cloth or organic materials, organic chemicals such as solvents and solvent based cleaning compounds, fuels and fuel oils, amines, methanol, propane, organic polymers, ethylene glycol, insecticides, heavy metals such as iron, copper, magnesium, aluminium, tin, steel, stainless steel, carbon steel, manganese, zinc, chromium, nickel, cobalt and their alloys, sodium sulphite, sodium bisulfite, sodium hydrosulfite, sodium thiosulfate. Do not mix this product with any of the foregoing or hazardous gases can result.



SAFETY DATA SHEET

Hazardous decomposition products Chlorine, hydrogen chloride. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure

Ingestion Do not ingest. Causes digestive tract burns.
Inhalation Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact Can cause severe skin burns.
Eye contact Can cause serious eye damage. Corrosive to eyes; may cause permanent damage if not removed promptly

Symptoms related to the physical, chemical and toxicological characteristics Burning sensation, coughing, wheezing, and shortness of breath. Sodium hypochlorite is extremely destructive to mucous membranes, eyes, and skin.

Acute toxicity Not classified.

Product Low Temp Sanitizer 5.25% (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	>5,000 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation Causes severe skin burns.
Serious eye damage/ irritation Causes serious eye damage.
Respiratory sensitization Not considered a respiratory sensitizer.
Skin sensitization Not considered a skin sensitizer.
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.
Reproductive toxicity No data available.
Specific target organ toxicity – single exposure No data available.
Specific target organ toxicity – repeated exposure No data available.
Aspiration hazard No data available.

12. Ecological information

Ecotoxicity		
Product Low Temp Sanitizer 5.25% (CAS mixture)		
Aquatic	Species	Test Thresholds
Fish	Fathead Minnow (<i>Pimephales promelas</i>)	LC ₅₀ = 0.11 mg/L estimated
Crustacea	Daphnia Magna	EC ₅₀ = 1.67 mg/L estimated
Algae	(<i>Skeletonema costatum</i>)	EC ₅₀ (24-hr 0.095mg/L (Literature)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability No data available. Components are readily degraded in an open oxyc environment

Bio-accumulative potential Accumulation in aquatic organisms is not expected.



SAFETY DATA SHEET

Mobility in soil	No data available. Chemicals of these classes are expected to exhibit moderate to high mobility in saturated and semi-saturated soils but will degrade quickly even in a low organic substrate medium.
Other adverse effects	Persistent exposure may be very toxic to aquatic life with long-lasting effects.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	As packaged, this product may meet criteria defining RCRA ignitable (D001) hazardous waste [oxidizing material] when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status and permissible disposal methods.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT Not regulated as hazardous material

15. Regulatory information

US federal regulations

FIFRA - This product is registered item with the United States Environmental Protection Agency, Office of Pesticides. Refer to the specific product label for registration number, approved usage, restrictions and disposal guidance.

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed.

California Proposition 65 **California Safe Drinking Water and Toxic Enforcement Act of 1986**
This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

Issue date	12/14/2015
Revision date	8/30/2017, 3/14/2019
Version #	3



SAFETY DATA SHEET

HMIS® ratings

Health: 2
Flammability: 0
Physical hazard: 0



NFPA ratings

Health: 2
Flammability: 0
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Transportation information.
3/14/2019 Change skin corrosion category from 1 to 1C (definition). General format update, Prop 65 statement; Update toxicology, PPE and environmental fate information; PPE notations; Composition chart update; Physical data update; miscellaneous text corrections; HMIS and NFPA pictograms inserted; Add FIFRA registration statement. Add environmental hazard classifications (acute and chronic).
Update eco-toxicology data