



SAFETY DATA SHEET

1. Identification

Product Identifier	Crete-Off Concrete Cleaner	
Other means of identification		
Product code	CU-9003	
Recommended use	Acid cleaner.	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	Chemical Universe, Inc.	
Address	1133 Saline St. North Kansas City, MO 64116	
Telephone	(816) 471-3602	
Fax	(816) 474-3302	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity-inhalation	Category 4
	Serious eye damage	Category 1
	Skin corrosion	Category 1B
Environmental hazards	Not classified.	
OSHA defined hazards	Not listed.	
Label elements		



Signal word	DANGER
Hazard statement	May be harmful if inhaled. Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Wash hands and exposed skin thoroughly after handling. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Specific treatment: see first aid instructions in section 4. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor/medical professional if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up.
Disposal	Dispose of contents/containers in accordance with local/regional/national/international regulations.



SAFETY DATA SHEET

Hazard(s) not otherwise classified (HNOC) None.
Supplemental information None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Glycolic acid	79-14-1	45-55
Other components below reportable levels		45-55

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)
Unsuitable extinguishing media None known
Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.
Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
Methods and materials for containment and cleaning up Caution – spillages may be slippery.
Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.



SAFETY DATA SHEET

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with dilute alkaline solution (i.e bicarbonate or alkaline detergent) to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not release into the environment (see section 12). Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits No data available

Biological limit values No data available

Appropriate engineering controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and Chloroprene rubber.

Other

Wear long sleeve shirts with full-length pants.

Respiratory protection

Respiratory protection not required for prescribed use of this product.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State

Liquid.

Color

Light amber

Odor

Characteristic mild; Burnt sugar

Odor threshold

Not available

pH

1-2

Melting/freezing point

26°F (-3.3°C)



SAFETY DATA SHEET

Initial boiling point and boiling range	>212°F (100°C)
Flash point	Not applicable
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.17
Solubility in water	Fully Miscible
Partition coefficient (n-octanol/water)	Not applicable
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Corrosive to mucous membranes, will damage tissue if there is prolonged contact.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Causes severe skin burns. See section 8 for personal protection.
Eye contact	Causes severe eye damage. May cause severe corneal injury.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	May be harmful if inhaled.

Product Crete-Off Concrete Cleaner (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀ /LC ₅₀
Acute	Oral, rat	>950.0 mg/kg (estimated)
Acute	Dermal, rabbit	>5,000 mg/kg (Literature)
Acute	Inhalation, rat	12.2 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation

Causes severe skin burns.



SAFETY DATA SHEET

Serious eye damage/ irritation	Causes serious eye damage.
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	Not classified.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity		
Product Crete-Off Concrete Cleaner (CAS mixture)		
Aquatic Receptor	Species	Test Results
Crustacea	Daphnia magna	EC ₅₀ (48-hr): 178 mg/L (estimated)
Fish	Fathead minnow (<i>Pimephales promelas</i>)	LC ₅₀ (96-hr): 230 mg/L estimated from literature)
Algae	Pseudokirchneriella subcapitata	ErC ₅₀ (72-hr) 65 mg/l (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability	Glycolic acid is considered readily biodegradable.
Bio-accumulative potential	No data available. This product mixture will not accumulate in biological systems
Mobility in soil	Not available. Listed component is organic and highly water-soluble. In aqueous medium, the listed chemical will readily dissociate into ionic molecules that will be weakly adsorbed onto organic and inorganic substrates. These components are expected to exhibit moderate to high mobility in saturated and semi-saturated soils.
Other adverse effects	Not available.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations. As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT	
UN number	UN3265
UN proper shipping name	Corrosive Liquid, acidic, organic, n.o.s. (Contains: Glycolic acid)

Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	II
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
USDOT Label/Placard	



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

SARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

Issue date	1/15/2020
Revision date	
Version #	1
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0

SAFETY DATA SHEET

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings

Health: 2
Flammability: 0
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First Issue