

### 1. Identification

Product Identifier	Hypoallergenic	
Other means of identification Product code	CU-7278	
Recommended use	Laundry detergent with oxid	izing bleach.
Recommended restrictions	None known.	
Manufacturer information		
Company name	Chemical Universe, Inc.	
Address	1133 Saline St. North Kansas City, MO 64116	ô
Telephone	(816) 471-3602	
Fax	(816) 474-3302	
Emergency phone number	PERS 24-hour Emergency	(800) 633-8253 (800) 633-8253

### 2. Hazard(s) Identification

Physical hazards	Not classified	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion Serious eye damage	Category 1C Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		
	E E	
Signal word	DANGER	
Hazard statement	May be harmful if swallowed.	
	Causes severe skin burns and	d eye damage.
Precautionary statement		
Prevention	Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	Call a POISON CENTER/doctor/medical professional if you feel unwell.	
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin wit water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	-	nter/doctor/medical professional. Specific treatment (see
	IF IN EYES: Rinse cautiously present and easy to do so. C	with water for several minutes. Remove contact lenses, if ontinue rinsing.
Storage	Store locked up.	
Disposal	Dispose of contents/contain regulations.	er in accordance with local/regional/national/international



Hazard(s) not otherwiseNone.classified (HNOC)Supplemental informationNone.

#### 3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Hydrogen peroxide	7722-84-1	5-10
Alcohols, C9-11, ethoxylated	68439-46-3	1-5
Other components b	elow reportable levels	85-94

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide $(CO_2)$ Do not use water jet as an extinguisher, as this will spread or enhance the fire.
Specific hazards arising from the chemical	During fire, oxygen can be liberated and gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted. This product contains a dilute solution of oxidizing liquid and can generate oxygen in the presence of heat or metal catalysts.

#### 6. Accidental release measures

Personal precautions,<br/>protective equipment and<br/>emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep<br/>out of low areas. Wear appropriate protective equipment and clothing during clean-up.<br/>Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials<br/>unless wearing appropriate protective clothing. Ensure adequate ventilation. Local



authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

This product is fully miscible in water.

Methods and materials for containment and cleaning up	Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the open environment. Avoid discharge into surface drainage paths and other areas not consistent with package labeling.
7. Handling and storage	

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

### 8. Exposure controls/personal protection

Occupational exposure limits		
US OSHA Table Z-1 Limits for A	ir Contaminants (29 CFR 1910.10	000)
Components	Туре	Value
Hydrogen Peroxide	PEL	1 ppm
US ACGIH Threshold Limit Valu	es	
Components	Туре	Value
Hydrogen Peroxide	TWA	1 ppm

**Biological limit values** 

**ACGIH Biological Exposure Indices** 

No data available.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves
Other	None.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.



Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Appearance	
Physical State	Liquid
•	•
Color	Colorless
Odor	Characteristic soap
Odor threshold	Not available.
рН	4.5 - 6
Melting/freezing point	23°F (-5°C) estimated.
Initial boiling point and	>212°F (>100°C).
boiling range	
Flash point	>392°F (>200°C).
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.12
Solubility in water	Complete
Partition coefficient	Not applicable.
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

#### 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	This product is stable and non-reactive under normal conditions of use. Material is stable under normal conditions. Store in a cool dark place. Hazardous polymerization does not occur.
Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.
Incompatible materials Hazardous decomposition products	Metals, organic materials, strong reducing agents, strong bases. No hazardous decomposition products occur. Oxygen can be liberated at temperatures above ambient.

#### **11.** Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.



Do not inhale. May irritate the upper respiratory tract. Can cause severe skin burns.

Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Severe skin burns, serious eye damage. Can temporarily turn skin white with prolonged contact.
Acute toxicity	May be harmful if swallowed.

Product Hypoallergenic (CAS mixture		
Exposure Classification	Route and Species	LD <sub>50</sub>
Acute	<i>Oral,</i> rat	3,590 mg/kg estimated.
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Can cause severe skin burns.
Serious eye damage/ irritation	Can cause serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May irritate the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.

#### 12. Ecological information

Ecotoxicity		
Product Hypoallergenic (CAS mixture)		
Aquatic Receptor	Species	Test Thressholds
Crustacea	Daphnia magna	$EC_{50}$ = 26 mg/L ( estimated.)
Fish	Fathead minnow	LD <sub>50</sub> = 44 mg/L (estimated)
*Estimates for product may be	based on additional component data no	ot shown

Persistence and degradability	Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination. Alcohol ethoxylate: considered readily biodegradable.
<b>Bio-accumulative potential</b>	Expected to be low, will likely degrade before accumulation can occur.
Mobility in soil	Will likely be mobile in a saturated and permeable soil environment but will degrade quickly over time.
Other adverse effects	None.

### **13.** Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose
	of contents/container in accordance with local/regional/national/international regulations.



Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. As packaged, this product is not expected to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed and, as necessary, tested to confirm regulatory status.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

### 14. Transport information

**DOT** Not regulated dangerous goods.

### 15. Regulatory information

US federal regula	ations .	
SARA 302 Ext	tremely hazardous substance	Not listed.
SARA 304 Em	nergency release notification	Not listed.
SARA 311/31	2 Hazard Categories	
	Immediate Hazard - Yes	
	Delayed Hazard – No	
	Fire Hazard – No	
	Pressure Hazard – No	
	Reactivity Hazard – No	
SARA 313 (TF	RI reporting)	
	Not listed.	
California	California Safe Drinking Wate	er and Toxic Enforcement Act of 1986
Proposition	This product is not known to o	contain any chemicals currently listed as carcinogens or reproductive toxins
65	under California Proposition 6 notification (1/2019)	55 at levels which would be subject to threshold determination and Safe Harbor



#### 16. Other information, including date of preparation or last revision

Issue date	12/8/2017
Revision date	7/8/2019
Version #	2
HMIS <sup>®</sup> ratings	Health: 2
	Flammability: 1
	Physical hazard: 0

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	

#### **NFPA** ratings

Health: 2 Flammability: 1 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision informationChange oral toxicity category from 5 to 4 (definition) Reduce skin corrosion category from<br/>1 to 1C (Definition and Literature reference, similar product mixtures). General format<br/>update; Refine composition table, amend physical data; Update toxicology thresholds and<br/>environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12.<br/>PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA<br/>pictograms added.