

1. Identification

Product Identifier	Grout Renew	
Other means of identification Product code	CU-2422	
Recommended use	Acid cleaner for grout and tile	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	Chemical Universe, Inc.	
Address	1841 Vernon St. North Kansas City, MO 64116	
Telephone	(816) 471-3602	
Emergency phone number	PERS 24-hour Emergency	(800) 633-8253 (800) 633-8253

2. Hazard(s) Identification

Physical hazards Health hazards Environmental hazards OSHA defined hazards Label elements	Not classified. Serious eye damage Not classified. None.	Category 2A
Signal word	Danger.	
Hazard statement	Causes mild skin irritation. Causes serious eye damage.	
Precautionary statement		
Prevention	Wear eye protection/face pro	otection.
Response		ith water for several minutes. Remove contact lenses if nue Rinsing. Immediately call a POISON essional.
Storage		

Storage	
Disposal	
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Urea monohydrochloride	506-89-8	10-20
Nonylphenol ethoxylate	127087-87-0	3-8
Other components below reportable le	vels	80-89



4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂)
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods General fire hazards	Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
	Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.
	Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into areas not consistent with package labeling.



7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the Safety Data Sheet).

8. Exposure controls/personal protection

Occupational exposure limits	Not classified.	
Biological limit values	Not classified.	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

Appearance	
Physical State	Orange/yellow liquid.
Odor	Characteristic.
Odor threshold	Not available.
рН	1-2
Melting/freezing point	28.8°F (-1.8°C) estimated.
Initial boiling point and	>212°F (>100°C) estimated.
boiling range	
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.04
Solubility in water	Soluble.



Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur
Conditions to avoid	Avoid storage in elevated temperatures.
Incompatible materials	Bases, amines, metals.
Hazardous decomposition products	No hazardous decomposition products occur. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May cause damage to the upper respiratory tract.
Skin contact	Can cause skin irritation with persistent contact.
Eye contact	Can cause serious eye damage. Wear appropriate protective clothing (see section 8).
Symptoms related to the physical, chemical, and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	Not classified.

Product Grout Renew (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀ /LC ₅₀
Acute	<i>Oral,</i> rat	>5,000 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation	Not classified.
Serious eye damage/ irritation	Causes serious eye damage.
Respiratory sensitization	Not considered a respiratory sensitizer.
Skin sensitization	Not considered a skin sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not Listed.	
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	May cause damage to the upper respiratory tract with prolonged inhalation.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.



12. Ecological information

Ecotoxicity			
Product Grout Renew (C	CAS mixture)		
Aquatic Receptor	Species	LC50 /EC50/ErC50	
Fish	Fathead minnow (Pimephales promelas)	66 mg/L (estimated)	
Crustacea	Daphnia magna <i>(water flea)</i>	125 mg/l (estimated)	
*Estimates for product may be based on additional component data not shown			
Persistence and degradability	No data available.		
Bioaccumulative potential	Not data available		

Partition coefficient n-octanol/water (log Kow)		
	Not available.	
Mobility in soil	No data available.	
Other adverse effects	Harmful to plants or wildlife in high concentrations.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not classified as dangerous goods.

15. Regulatory information

US federal regulations
SARA 302 Extremely hazardous substance
Not listed.
SARA 304 Emergency release notification
Not listed.
SARA 311/312 Hazard Categories
Immediate Hazard - Yes
Delayed Hazard – No
Fire Hazard – No
Pressure Hazard – No
Reactivity Hazard – No

SARA 313 (TRI reporting)

```
Not listed.
```



16. Other information, including date of preparation or last revision

Issue date Revision date Version # HMIS® ratings	2/18/2015 7/27/2021 2 Health: 1 Flammability: 0 Physical hazard: 0
	HEALTH1FLAMMABILITY0REACTIVITY0PERSONAL PROTECTION
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.
Revision information	General format update: Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added. Change eye corrosion category from 1 to 2A (literature). Upgrade personal protection and environment fate information. Logo update.