



SAFETY DATA SHEET

1. Identification

Product Identifier	Solid Heavy-Duty Pot & Pan
Other means of identification	CU-5107
Product code	
Recommended use	Pot and pan dish soap.
Recommended restrictions	Professional use only.
Manufacturer information	
Company name	Chemical Universe, Inc.
Address	1841 Vernon St. North Kansas City, MO 64116
Telephone	(816) 471-3602
Fax	(816) 474-3302
Emergency phone number	PERS 24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not listed.	
Health hazards	Skin corrosive Carcinogen	Category 1B Category 1A
Environmental hazards	Not listed	
OSHA defined hazards	Not listed.	
Label elements		



Signal word	DANGER
Hazard statement	May cause severe skin burns and eye damage. May cause cancer
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/clothing/eye/face protection. Dispose of contents/container to according to local, state, and federal regulations
Response	SWALLOWED: Call a POISON CENTER/doctor/medical professional. Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/medical professional. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.



SAFETY DATA SHEET

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Monoethanolamine	141-43-5	10-15
Ethanol	64-17-5	1-5
Other components below reportable levels		80-90

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Neutralize burns with vinegar. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Oxidizing. Oxygen released in thermal decomposition may support combustion. Contact with flammables may cause fire or explosions. Risk of explosion if heated under confinement.
Special protective equipment and precautions for firefighters	Do not allow water to enter container because of violent reaction. Keep container tightly closed. Strongly oxidizing agent; may ignite oxidizable materials. Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.



SAFETY DATA SHEET

Large spills: Place the material in containers using a broom or shovel. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water. Decontaminate surfaces with dilute vinegar or similar weak acid solution. Avoid contact with a combustible material (wood, paper, oil, clothing). Keep substance damp using water spray. Do not touch spilled material. Prevent entry into sewers, basements or confined areas;

Small spills: Use appropriate tools to put the spilled solid in a convenient waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid. Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into storm water drains, surface drainage paths or other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS). Keep away from combustible material. Do not ingest. Do not breathe dust. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles.

8. Exposure controls/personal protection

Occupational exposure limits

US AIHA Workplace Environmental Exposure Level (WEEL) Guides (2009)

Components	Type	Value
Ethanol	TWA	1000 ppm (1900 mg/m ³)
Ethanol	ACGIH – Urt irr	1000 ppm
Monoethanolamine	TWA	3 ppm (6 mg/m ³)
Monoethanolamine	ACGIH – Eye & Skin irr	6 ppm

Biological limit values

Not available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

Do not breathe dust. In case of insufficient ventilation, wear suitable NIOSH-approved respiratory protection equipment.



SAFETY DATA SHEET

Thermal hazards	None.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Powder
Color	Pink
Odor	Odorless
Odor threshold	Not available.
pH	7.8
Melting/freezing point	Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.07
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	> 128°F (53.3°C)
Viscosity	Not applicable.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid strong oxidants.
Incompatible materials	Strong oxidants.
Hazardous decomposition products	Oxides of sulfur and nitrogen.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. Harmful if swallowed.
Inhalation	Do not inhale. Irritating to the respiratory tract.



SAFETY DATA SHEET

Skin contact Can cause skin irritation. For personal protection see Section 8.
Eye contact Causes serious eye damage.
Symptoms related to the physical, chemical, and toxicological characteristics Coughing, wheezing, shortness of breath.
Acute toxicity Harmful if swallowed.

Product Solid Heavy-Duty Pot & Pan (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀ / LC ₅₀
Acute	Oral, rat	>500 mg/kg (estimated)
Acute	Dermal, rabbit	1,100 mg/kg (Literature)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation Causes skin irritation
Serious eye damage/ irritation Causes serious eye damage.
Respiratory sensitization Not considered a respiratory sensitizer.
Skin sensitization Not considered a skin sensitizer.
Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity Not considered a carcinogen.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.
Reproductive toxicity No data available.
Specific target organ toxicity – single exposure No data available.
Specific target organ toxicity – repeated exposure No data available.
Aspiration hazard No data available.

12. Ecological information

Ecotoxicity		
Product Solid Heavy-Duty Pot & Pan (CAS mixture)		
Aquatic Receptor	Species	Test Thresholds
Fish	Fathead minnow (<i>Pimephales promelas</i>)	LC ₅₀ (96-hour) = 13,000 mg/L (estimated)
Crustacea	Daphnia magna	EC ₅₀ (48-hour) = 9,300 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability No data available.
Bio-accumulative potential Bio-accumulative potential is low.
Partition coefficient n-octanol/water (log K_{ow}) Not available.
Mobility in soil No data available. Chemicals of these classes are highly water soluble and will partition readily to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
Other adverse effects Harmful to aquatic life. No other adverse environmental effects known (*i.e.*, ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor, or other deleterious environmental effect)

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations Dispose in accordance with all applicable regulations



SAFETY DATA SHEET

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT

UN number	UN2491
UN proper shipping name	Ethanolamine solutions, N.O.S.
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT Label/Placard	



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.
SARA 311/312 Hazard Categories	
Immediate Hazard - Yes	
Delayed Hazard - No	
Fire Hazard - No	
Pressure Hazard - No	
Reactivity Hazard - Yes	
SARA 313 (TRI reporting)	Not listed

California Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (3/2021).
----------------------------------	---

SAFETY DATA SHEET

16. Other information, including date of preparation or last revision

Issue date 12/27/2021
Revision date
Version # 1
HMIS® ratings Health: 2
 Flammability: 1
 Physical hazard: 1

HEALTH	2
FLAMMABILITY	1
REACTIVITY	1
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings Health: 2
 Flammability: 1
 Instability: 1



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information First issue.