



# SAFETY DATA SHEET

## 1. Identification

<b>Product Identifier</b>	<b>High Temp Chlorinated Detergent</b>	
<b>Other means of identification</b>	CU-5415, 5415-CLL	
<b>Product code</b>	CU-5415, 5415-CLL	
<b>Recommended use</b>	Chlorinated detergent for automatic dish wash machines.	
<b>Recommended restrictions</b>	Professional use only.	
<b>Manufacturer information</b>		
<b>Company name</b>	Chemical Universe, Inc.	
<b>Address</b>	1841 Vernon St. North Kansas City, MO 64116	
<b>Telephone</b>	(816) 471-3602	
<b>Fax</b>	(816) 474-3302	
<b>Emergency phone number</b>	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

## 2. Hazard(s) Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral Serious eye damage Skin corrosion	Category 4 Category 1 Category 1B
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	None.	
<b>Label elements</b>		



<b>Signal word</b>	<b>DANGER</b>
<b>Hazard statement</b>	Harmful if swallowed. Causes severe skin burns and eye damage.
<b>Precautionary statement</b>	
<b>Prevention</b>	Wash hands and exposed skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	IF SWALLOWED: Immediately call a poison center/doctor/medical professional. Specific treatment: See section 4 on the Safety Data Sheet. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/containers in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None.
<b>Supplemental information</b>	None.



## SAFETY DATA SHEET

### 3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Potassium Hydroxide	1310-58-3	12-18
Sodium tripolyphosphate	7758-29-4	1-5
Sodium hypochlorite	7681-52-9	0.1-1
Other components below reportable levels		76-86

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Neutralize burns with vinegar. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
<b>Ingestion</b>	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Potassium hydroxide is extremely destructive to tissues of the mucous membranes and upper respiratory tract, eyes, and skin.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed (phosgene and chlorine gas).
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

<b>Personal precautions, protective equipment, and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	This product is miscible in water.

Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry



# SAFETY DATA SHEET

sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g., cloth, synthetic textile wipes). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into surface waterways and other receiving areas not consistent with package labeling.

## 7. Handling and storage

**Precautions for safe handling** Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Potassium Hydroxide	PEL	2 mg/m <sup>3</sup>

#### US ACGIH Threshold Limit Values

Components	Type	Value
Potassium Hydroxide	STEL	2 mg/m <sup>3</sup>

**Biological limit values** No information.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

**Physical State** Liquid.

**Color** Light yellow.



# SAFETY DATA SHEET

<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	14
<b>Melting/freezing point</b>	-0.4°F (-18°C) estimated.
<b>Initial boiling point and boiling range</b>	>212°F (100°C) estimated.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability</b>	Not available.
<b>Flammability Limits</b>	
<b>Upper</b>	Not available.
<b>Lower</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Specific gravity (water=1)</b>	1.17
<b>Solubility in water</b>	Soluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	This product is stable and non-reactive under normal conditions of use.
<b>Chemical stability</b>	Material is stable under normal conditions. Store in a cool dark place.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur
<b>Conditions to avoid</b>	Avoid storage in elevated temperatures.
<b>Incompatible materials</b>	Bases, amines, strong acids, ferrous metals.
<b>Hazardous decomposition products</b>	No hazardous decomposition products occur. In case of fire see section 5.

## 11. Toxicological information

<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Do not ingest. May be harmful if swallowed.
<b>Inhalation</b>	Do not inhale. May cause damage to the upper respiratory tract.
<b>Skin contact</b>	Can cause severe skin burns.
<b>Eye contact</b>	Can cause serious eye damage.
<b>Symptoms related to the physical, chemical, and toxicological characteristics</b>	Burning sensation, coughing, wheezing, shortness of breath. Potassium hydroxide is extremely destructive to mucous membranes and upper respiratory tract, eyes, and skin.
<b>Acute toxicity</b>	Harmful if swallowed.

Product High Temp Chlorinated Detergent (CAS mixture)		
	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>
Acute	Oral, rat	1,023 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

**Skin corrosion/irritation** Can cause severe skin burns.



## SAFETY DATA SHEET

<b>Serious eye damage/irritation</b>	Can cause serious eye damage.
<b>Respiratory sensitization</b>	Not considered a respiratory sensitizer.
<b>Skin sensitization</b>	Not considered a skin sensitizer.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not considered a carcinogen.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not Listed.
<b>Reproductive toxicity</b>	No data available.
<b>Specific target organ toxicity – single exposure</b>	May cause damage to the upper respiratory tract with prolonged inhalation.
<b>Specific target organ toxicity – repeated exposure</b>	No data available.
<b>Aspiration hazard</b>	No data available.

### 12. Ecological information

Ecotoxicity		
Product High Temp Chlorinated Detergent (CAS mixture)		
Aquatic Receptor	Species	Test Results
Fish	Fathead minnow	LC <sub>50</sub> = 11.3 mg/L estimated
Crustacea	Daphnia Magna	EC <sub>50</sub> = 18 mg/L estimated

\*Estimates for product may be based on additional component data not shown

<b>Persistence and degradability</b>	No data available. Chemicals of this class are not expected to be persistent in open aerobic environment
<b>Bioaccumulative potential</b>	No data available Not expected to accumulate in biological systems
<b>Partition coefficient n-octanol/water (log K<sub>ow</sub>)</b>	Not available.
<b>Mobility in soil</b>	No data available. Ionic conjugates of the active chemicals of this product are expected to exhibit moderate mobility in saturated and partially saturated soils until activity is bound.
<b>Other adverse effects</b>	Harmful to plants or wildlife in high concentrations.

### 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company. As packaged, the mixture described is expected to warrant classification as a corrosive (D002) characteristic waste (40 CFR part 261 Subpart C)
<b>Waste from residues/unused product</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

<b>UN number</b>	UN1760
<b>UN proper shipping name</b>	Corrosive liquids, n.o.s. (Contains: Potassium hydroxide, Sodium hypochlorite)

**Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Packaging group** III  
**Marine pollutant** No  
**Special precautions for user** Read safety instructions, SDS, and emergency procedures before handling.  
**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not intended to be transported in bulk.  
**DOT**



**15. Regulatory information**

**US federal regulations**

**SARA 302 Extremely hazardous substance** Not listed.  
**SARA 304 Emergency release notification** Not listed.  
**SARA 311/312 Hazard Categories**  
 Immediate Hazard - Yes  
 Delayed Hazard – No  
 Fire Hazard – No  
 Pressure Hazard – No  
 Reactivity Hazard – No  
**SARA 313 (TRI reporting)**  
 Not listed.

**California Proposition 65** **California Safe Drinking Water and Toxic Enforcement Act of 1986**  
 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

**16. Other information, including date of preparation or last revision**

**Issue date** 1/23/2015  
**Revision date** 3/5/2019  
**Version #** 1.1  
**HMIS® ratings** Health: 3  
 Flammability: 0

# SAFETY DATA SHEET

Physical hazard: 0

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>REACTIVITY</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>

**ALKALINE**

**NFPA ratings**

Health: 3  
Flammability: 0  
Instability: 0



**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information**

Format update, Proposition 65 notice, HMIS/NFPA pictograms; Environmental fate language update