



# SAFETY DATA SHEET

## 1. Identification

**Product Identifier** **Carpet Spotter**

**Other means of identification**  
**Product code** 9-BPNP, 9-CLLE, 109-CLL, 9-CJRL

**Recommended use** Heavy duty degreaser base.

**Recommended restrictions** Professional use only. Use as directed

**Manufacturer information**  
**Company name** **Chemical Universe, Inc.**  
**Address** 1841 Vernon Street  
 North Kansas City, MO 64116

**Telephone** (816) 471-3602  
**Fax** (816) 474-3302

## 2. Hazard(s) Identification

**Physical hazards** Not classified.

**Health hazards** Oral Toxicity – acute Category 4  
 Serious eye damage Category 1  
 Skin irritant Category 2

**Environmental hazards** Not classified.

**OSHA defined hazards** Not listed.

**Label elements**



**Signal word** **DANGER**

**Hazard statement** Causes serious eye damage.  
 Causes skin irritation.

**Precautionary statement**  
**Prevention** Wear eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Wear protective gloves.

**Response** **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/medical professional.  
**IF ON SKIN:** Wash with plenty of water for at least 15 minutes. Specific treatment (see section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

**Storage** No special provisions

**Disposal** No special provisions

**Hazard(s) not otherwise classified (HNOC)** None.

**Supplemental information** None.

## 3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%



# SAFETY DATA SHEET

2-butoxyethanol	111-76-2	5-10
Nonylphenol ethoxylate	127087-87-0	1-5
C8-10 ethoxylate phosphate	68130-47-2	1-5
Potassium hydroxide	1310-58-3	0.1-1
Other components below reportable levels		79-93

## 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be in work area.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Dermatitis. Rash. May cause an allergic skin reaction.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

<b>Personal precautions, protective equipment, and emergency procedures</b>	Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
<b>Methods and materials for containment and cleaning up</b>	Caution – spillages may be slippery.  Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas.  Small spills: Wipe up with absorbent material (e.g., cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.  Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Do not release into the general environment (see section 12). Avoid discharge into areas not consistent with package labeling.



# SAFETY DATA SHEET

## 7. Handling and storage

**Precautions for safe handling** Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Do not store in extreme temperature conditions.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Potassium hydroxide	PEL	2 mg/m <sup>3</sup>

#### US ACGIH Threshold Limit Values

Components	Type	Value
2-butoxyethanol	STEL	20 ppm
Potassium hydroxide	STEL	2 mg/m <sup>3</sup>

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

**Appropriate engineering controls** Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Nitrile and PVC are recommended barrier materials

**Other** Wear long sleeve shirts or sleeved apron with pants.

**Respiratory protection** Respiratory protection not normally required.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

**Physical State** Liquid.

**Color** Clear/amber colored.

**Odor** Butyl cellosolve

**Odor threshold** Not available.

**pH** 12-13

**Melting/freezing point** Not available.

**Initial boiling point and boiling range** >212°F (100°C)

**Flash point** >212°F (100°C)



# SAFETY DATA SHEET

Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.0
Solubility in water	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Decomposes on heating.
Viscosity	Not available.

## 10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

## 11. Toxicological information

### Information on likely routes of exposure

Ingestion	Corrosive to mucous membranes, will damage tissue if there is prolonged contact.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Repeated and/or prolonged skin contact may cause irritation and/or burns.
Eye contact	Causes severe eye damage. May cause severe corneal injury.
Symptoms related to the physical, chemical, and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	Expected to have a low toxicity.

Product Carpet Spotter (CAS mixture)		
Exposure Classification	Route and Species	LD50 LC50
Acute	Oral, rat	7,500 mg/kg (estimated)
Acute	Dermal, rabbit	>5,000 mg/kg
Acute	Inhalation, rat	LC50 = >850 mg/L 4 h (estimated)

\*Estimates for product may be based on additional component data not shown

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory sensitization	Not classified.



# SAFETY DATA SHEET

**Skin sensitization** Not classified.  
**Germ cell mutagenicity** Not classified.  
**Carcinogenicity** Not considered a carcinogen.  
**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not Listed.  
**Reproductive toxicity** Not classified.  
**Specific target organ toxicity – single exposure** Not classified.  
**Specific target organ toxicity – repeated exposure** Not classified.  
**Aspiration hazard** Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity		
Product Carpet Spotter (CAS mixture)		
Aquatic Receptor	Species	Test Threshold
Crustacea	Daphnia magna	EC <sub>50</sub> (48hr): 477 mg/L estimated
Fish	Fathead Minnow	LC <sub>50</sub> (96hr): 203 mg/L estimated
*Estimates for product may be based on additional component data not shown		

**Persistence and degradability** Nonylphenol ethoxylates are not considered readily biodegradable. However, the material is biodegradable under many common environmental conditions.  
**Bio-accumulative potential** No data available. Components are highly water-soluble and not expected to accumulate in dynamic biological systems  
**Mobility in soil** Not available. Chemicals of these classes are expected to exhibit moderate to high mobility in saturated and semi-saturated soils  
**Other adverse effects** The pH of this product may cause it to be toxic to aquatic and terrestrial organisms in high concentration.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.  
**Local disposal regulations** Dispose in accordance with all applicable regulations  
**Waste from residues/unused product** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).  
**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

## 14. Transport information

**USDOT Hazardous Materials Classification**  
**UN number** UN1760  
**UN proper shipping name** Corrosive Liquids, n.o.s. (contains potassium hydroxide)  
**Transport hazard class(es)**  
**Class** 8  
**Subsidiary risk** -  
**Packaging group** III  
**Marine pollutant** No  
**Special precautions for user** Read safety instructions, SDS, and emergency procedures before handling.



# SAFETY DATA SHEET

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not intended to be transported in bulk.

DOT Label/Placard



## 15. Regulatory information

### US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

### SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

### SARA 313 (TRI reporting)

2-butoxyethanol (Glycol Ether Category)

California Proposition 65



**WARNING** This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to

[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## 16. Other information, including date of preparation or last revision.

Issue date 4/14/2021

Revision date

Version # 1

HMIS® ratings Health: 2  
Flammability: 0  
Physical hazard: 0



# SAFETY DATA SHEET

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

**ALKALINE**

**NFPA ratings**

Health: 2  
Flammability: 0  
Instability: 0



**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information**

First draft.