SAFETY DATA SHEET

1. Identification

Product Identifier	**High Acid Bowl Cleaner**	
Other means of identification		
Product code	CUQNC-1250	
Recommended use	Acid bowl cleaner.	
Recommended restrictions	Professional use only.	
Manufacturer information		
Company name	Chemical Universe, Inc.	
Address	1841 Vernon St. North Kansas City, MO 64116	
Telephone	(816) 471-3602	
FAX	(816) 474-3302	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Corrosive to metals.	Category 1
Health hazards	Serious eye damage.	Category 1
	Skin corrosion.	Category 1
	Specific target organ toxicity, respiratory system.	Category 3
	Acute toxicity, oral.	Category 4
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		

Signal word	Danger
Hazard statement	May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statement	
Prevention	Keep only in original container. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat/drink/smoke after using this product.
Response	Absorb spillage to prevent material damage. IF SWALLOWED: Call a POISON CENTER/doctor/medical professional if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment: See section 4 on the Safety Data Sheet. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant container with a resistant inner lining. Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	**CAS number**	**%**
Hydrochloric Acid	7647-01-0	20-25
Other components below reportable levels		75-80

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport them to hospital.
Ingestion	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Hydrochloric acid is extremely destructive to tissues of the mucous membranes and upper respiratory tract, eyes, and skin.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use it with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO_2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed (hydrogen chloride gas).
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This product is miscible in water. Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Hydrochloric Acid	PEL	5 ppm

US ACGIH Threshold Limit Values

Components	Type	Value
Hydrochloric Acid	STEL	2 ppm

Biological limit values	No information.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after managing the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State	Liquid.
Color	White.
Odor	Mint/ pungent.
Odor threshold	Not available.
pH	0-1
Melting/freezing point	-76°F (-60°C) estimated.
Initial boiling point and boiling range	>212°F (>100°C)
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	0.7 mmHg at 77°F (25°C).
Vapor density	Not available.
Specific gravity (water=1)	1.07
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid storage in elevated temperatures.
Incompatible materials	Bases, amines, metals.
Hazardous decomposition products	No hazardous decomposition products occur. In case of fire see section 5.

11. Toxicological information

Information on likely routes of exposure	
Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not inhale. May cause damage to the upper respiratory tract.
Skin contact	Can cause severe skin burns.
Eye contact	Can cause serious eye damage.
Symptoms related to the physical, chemical, and toxicological characteristics	Burning sensation, coughing, wheezing, shortness of breath. Hydrochloric acid is extremely destructive to mucous membranes and upper respiratory tract, eyes, and skin.
Acute toxicity	Harmful if swallowed.

Product High Acid Bowl Cleaner (CAS mixture)		
Exposure Classification	**Route and Species**	**LD_{50}**
Acute	*Oral*, rat	1,124 mg/kg (estimated)

Acute	*Dermal*, mouse	1,570 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritation Can cause severe skin burns.

Serious eye damage/ irritation Can cause serious eye damage.

Respiratory sensitization Not considered a respiratory sensitizer.

Skin sensitization Not considered a skin sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity No data available.

Specific target organ toxicity – single exposure May cause damage to the upper respiratory tract with prolonged inhalation.

Specific target organ toxicity – repeated exposure No data available.

Aspiration hazard No data available.

12. Ecological information

Ecotoxicity		
Product High Acid Bowl Cleaner (CAS mixture)		
Aquatic Receptor	**Species**	**Test Thresholds**
Fish	Mosquito fish	>352 mg/L 48-hr (estimated)
Fish	Western zebrafish	>960 mg/l (96-hr) (estimated
*Estimates for product may be based on additional component data not shown		

Persistence and degradability No data available.

Bioaccumulative potential Not data available.

Mobility in soil No data available.

Other adverse effects May be harmful to plants or wildlife in high concentrations.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.

Waste from residues/unused product Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN3264

UN proper shipping name Corrosive liquids, acidic, inorganic , n.o.s. (Contains: Hydrochloric acid)

Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	II
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.

DOT

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes
Delayed Hazard – No
Fire Hazard – No
Pressure Hazard – No
Reactivity Hazard – No

SARA 313 (TRI reporting) Not listed.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986
This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (12/2023)

16. Other information, including date of preparation or last revision.

Issue date	2/21/2024
Revision date	
Version #	1
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0

NFPA ratings

Health: 2
Flammability: 0
Instability: 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First issue.